

Silver Shell Active Hexose Correlated Compound Capsule Supplementary Food

INSTRUCTION MANUAL

ACTIVE INGREDIENT

One Capsule Quantity

Hexose Correlation Compound

500 mg *Nutritional Reference Value







Ingredients: Active Hexose Correlated Compound Capsule, Hydroxypropyl mel cellulose, Anti-Aggregation: Microcrystalline Cellulose E460 (i), Silicon Dioxide (E551), Emulsifier: Magnesium Salts of Fatty Acids (E 470b).

The Net Amount: 120 Capsule

WARNINGS:

It is not a drug. It is not used for the prevention or treatment of diseases. Supplementary foods do not replace the normal diet. Par No (P. No.) and recommended expiry date (T.E.T.T.) are on the packaging. Consult your doctor in case of pregnancy or breastfeeding, illness or drug use. Keep out of reach of children. Do not exceed the recommended daily portion. Do not buy unpackaged products. Store in a cool, dry place away from direct sunlight or heat. Those who are sensitive to active substances or any of the excipients should consult a doctor.

Special Precautions and Warnings: It may be better not to use Active Hexose Correlated Compound by those who have certain conditions, diseases or are taking certain medications. These people should consult their doctor before using Active Hexose Correlated Compound.

Recommended Usage: It is recommended to use 6 capsules per day for adults 11 years and older.

Storage Conditions: Store at room temperature (15-25°C). Protect from heat, light and moisture.

Shelf Life: 24 months

Commercial Presentation: (120 Capsules) 12 pieces of 10 blisters are presented in a special box

Silver Shell Health Products Inc. has been certified by the United States Food and Drug Administration (FDA) OMB No. 0910-0330 and the Center for Food Safety Practice and Nutrition (CFSAN) DUNS: 53-316-8835. Silver Shell Health Products Inc.

Food Operator: Silver Shell SAGLIK URUNLERI A.S. Akat Mah.

Yıldırım Oğuz Göker Sk. Park Maya Sitesi Carlton -17

No: 1/13 Beşiktaş / İSTANBUL

Approval No: 012217-16.12.2021 www.silvershellheal.com

Origin: TÜRKİYE

Manufacturer Company: ** PHARMA** Medicine Food Cosmetic Industrial And Trade Ltd. Co.

www.akypharma.com

Business Registration Number: TR-06-K-059565

"Silver Shell" and "Silver Shell Active Hexose Correlated Compound are registered trademarks.

Special Precautions and Warnings for the Use of Active Hexose Correlation Compound

What is Active Hexose Correlated Compound?

Active Hexose Correlated Compound (Active Hexose Correlated Compound) is a natural compound containing alpha-glucan extracted from some species of basidiomycetes fungi. It is obtained as a result of different processes such as fermentation from Shiitake mushroom, a type of mushroom known as Black forest mushroom or emperor mushroom in Southeast Asia, and a type of mushroom used and consumed only by the emperors in imperial Japan.

Who Can Use Active Hexose Correlated Compound?

Adults 11 years and older can use up to 3 grams per day.

Under 11 Can Children Use Active Hexose Correlated Compound?

There is not enough reliable information about the safety of using Active Hexose Correlated Compound in children under 11 years of age. Stay safe, do not use Active Hexose Correlated Compound in children under 11 years old.

Can Pregnant and Breastfeeding Women Use Active Hexose Correlated Compound?

There is not enough reliable information available about the safety of taking Active Hexose Correlated Compound if you are pregnant or breast-feeding. Stay safe, do not use Active Hexose Correlated Compound if you are pregnant or breastfeeding.

Can Those With Autoimmune Diseases Use Active Hexose Correlated Compound?

Active Hexose Correlated Compound has been reported to worsen autoimmune diseases. Therefore, the use of Active Hexose Correlated Compound is not recommended for people with Multiple sclerosis, systemic lupus erythematosus (SLE), rheumatoid arthritis (RA) or similar autoimmune diseases. If you have these or similar diseases, consult your doctor before using Active Hexose Correlated Compound.

Does Active Hexose Correlated Interact with Compound Drugs?

• Drugs Receiving from the Liver

Some drugs are broken down and taken up by the liver. Some drugs derived from the liver (Cytochrome P450 2D6 (CYP2D6) substrates) may interact with Active Hexose Correlated Compound. If you are taking any medication that is broken down and taken by the liver, consult your doctor before using Active Hexose Correlated Compound.

• Immune Suppressants Drugs

Active Hexose Correlated Compound may interact with drugs that decrease/suppress the immune system. If you are using drugs that reduce / suppress the immune system, consult your doctor before taking Active Hexose Correlated Compound.

